




brought to you by:

**STORAGE SYSTEMS**



**Storage Systems Ltd.,  
Malahide Road Industrial Park,  
Malahide Road,  
Coolock,  
Dublin 17,  
Ireland**

**Tel: + 353 1 847 0956  
Fax: + 353 1 847 9892  
email: [sales@storagesystems.ie](mailto:sales@storagesystems.ie)**

*New*

# Delta Profile

## Boltless Shelving

**Product Guide**



**ELITE**  
RANGE OF PRODUCTS ||

# Delta

## Bay Size Options

<b>Heights:</b>	1875 mm
	2175 mm
	2475 mm
<b>Widths:</b>	900 mm
	1000 mm
	1200 mm
<b>Depths:</b>	150 mm*
	300 mm
	350 mm
	400 mm*
	450 mm
	600 mm

\* Available on application

**Finish:** Epoxy polyester powder coated  
RAL 9002 Ivory

*Special colours available on application.*

## Loadings

<b>Bay:</b>	450Kg
<b>Shelf:</b>	80Kg (UDL)
UDL - Uniformly Distributed Load	
<b>Duplex Shelf Widths</b>	900, 1000 & 1200mm
<b>Depth</b>	350mm

## Design Factors

O/A Dimensions

<b>Bay width:</b>	Shelf width plus 46mm
<b>Bay depth:</b>	Shelf depth plus 15mm

## Shelf Clearances

Height - shelf centre to centre dimension less the shelf thickness 30mm.

Width - shelf width less the upright profile 20mm.


- Full height dividers can be used in conjunction with shelf back stops.
- Adjustable dividers cannot be used with shelf back stops.
- Duplex shelves have a depth of 350mm and are available in 900, 1000 and 1200 mm widths. Options to accept a 275 or 330 mm lateral file.

# Profi

... Economical storage s



**Recessed shelf clip**  
Provides an unobstructed shelf clearance. Clip is common to adjacent shelf levels.



**Open**

# File Shelving ...

Solution for Mobile, Media, Archive, Medical and Office environments



**Adjustable shelf clip**  
Simple to adjust, easy to build flexible shelving system. 25mm adjustable increments.



**Full height dividers**  
To create subdivisions on shelf levels. Minimum spacing 50mm. Standard heights 300 & 450mm.



**Adjustable dividers**  
Drop on dividers adjustable along length of shelf. 200mm high.



... / Closed bays



**Shelf back stop**  
Economical alternative to back cladding. Easy to fit push in fixing.



**Duplex shelf**  
Options for a 275 or 330mm lateral file. Minimum shelf centre 300mm.

**ELITE**  
RANGE OF PRODUCTS